

UPDATES FOR UDS REPORTS FOR REPORTING YEAR 2015

Compile UDS Reports and **Print UDS Reports** (*Reports, UDS Reports*)

The UDS Reports have been updated to meet the new Calendar Year 2014 reporting standards for Reporting Year 2015. The following modifications have been made to the Tables:

Table 4 – Socioeconomic Characteristics:

• Line 9a – **Dually Eligible** has been added for reporting when patients have both Medicare and Medicaid insurance. This new line is a sub-set of the total patients reported on line 9 – Medicare.

Table 6A – Selected Diagnoses and Services Rendered:

- Updates have been made to allow the reporting of ICD-10 diagnosis codes. Since data reported on Table 6A is reported for the entire calendar year, it will require the use of both ICD-9 and ICD-10 to report 2015 data.
- Line 1-2a, **First time diagnosis of HIV**, has been removed from this table and is now reported only on table 6B, line 20.
- Line 4 has been changed from Syphilis and other venereal diseases to Sexually Transmitted Infections.
- Line 6 has been changed from **Chronic bronchitis and emphysema** to **Chronic obstructive** pulmonary diseases.
- Line 17 has been changed to Lack of expected normal physiological development (such as
 delayed milestone; failure to gain weight; failure to thrive); Nutritional deficiencies in
 children only. Does not include sexual or mental development.
- Line 20d was relabeled to remove (includes mental retardation).
- Line 24 was changed to Selected Immunizations: Hepatitis A, Hemophilus Influenza B (HiB), Pneumococcal, Diphtheria, Tetanus, Pertussis (DTaP) (DTP) (DT), Mumps, Measles, Rubella, Poliovirus, Varicella, Hepatitis B Child).
- Line 31 was changed to Fluoride treatment adult or child.

Table 6B – Quality of Care Indicators:

- Updates have been made to allow the reporting of ICD-10 diagnosis codes. Since data reported on Table 6B is reported for the entire calendar year, it will require the use of both ICD-9 and ICD-10 to report 2015 data.
- Line 10 was changed to MEASURE: Children who have received age appropriate vaccines prior to their 3rd birthday during measurement year (on or prior to December 31).
- Section D header and row header was changed to Cervical Cancer Screening.





- Line 12 was changed to MEASURE: Children and adolescents aged 3 until 17 during measurement year (on or prior to 31 December) with a BMI percentile, and counseling on nutrition and physical activity documented for the current year.
- Section G header and row header was changed to Tobacco Use Screen and Cessation Intervention.
- Line 14a was changed to MEASURE: Patients aged 18 and older who (1) were screened for tobacco use one or more times in the measurement year or the prior year and (2) for those found to be a tobacco user, received cessation counseling intervention or medication.
- Section H header and row header was changed to Asthma Pharmacologic Therapy.
- Line 16 was changed to MEASURE: Patients aged 5 through 40 diagnosed with persistent asthma who have an acceptable pharmacological treatment plan.
- Line 17 was changed to MEASURE: Patients aged 18 and older with a diagnosis of CAD who were prescribed a lipid lowering therapy.
- Line 18 was changed to MEASURE: Patients aged 18 and older with a diagnosis of IVD or AMI, CABG, or PTCA procedure with aspirin or another antithrombotic therapy.
- Line 19 was changed to MEASURE: Patients age 51 through 74 years of age during measurement year (on or prior to 31 December) with appropriate screening for colorectal cancer.
- Section L header and row header was changed to HIV Linkage to Care.
- Line 20 was changed to MEASURE: Patients whose first ever HIV diagnosis was made by health center staff between October 1, of the prior year and September 30, of the measurement year and who were seen for follow-up treatment within 90 days of that first ever diagnosis.
- Section M header and row header was changed to Patients Screened for Depression and Follow-Up.
- Line 21 was changed to MEASURE: Patients aged 12 and older who were (1) screened for depression with a standardized tool and if screening was positive (2) had a follow-up plan documented.
- Section N Dental Sealants was added with column headers for Line, Dental Sealants, Total Patients Aged 6 through 9 Identified as Moderate to High Risk for Caries (a), Charts Sampled or EHR Total (b), Number of patients with Sealants to First Molars (c).
- Line 22 was added for MEASURE: Children aged 6 through 9 years at moderate to high risk of caries who received a sealant on a permanent first molar tooth.



Table 7 – Health Outcomes and Disparities

- Updates have been made to allow the reporting of ICD-10 diagnosis codes. Since data reported on Table 7 is reported for the entire calendar year, it will require the use of both ICD-9 and ICD-10 to report 2015 data.
- The number of categories for reporting diabetic HbA1c has been reduced. Only the HbA1c categories of "less than 8%" (Column d1) and "greater than 9% or No Test During the Year" (Column 3f) are reported
- In Sections A, B and C, Line 1b2 and Line 2b2 were changed to **Other Pacific Islander**.
- In Section C, Column Header (3d) was changed to 3d1.
- In Section C, Colum 3e was removed.